

VKC-1338A/PIR

Home | Security | Cameras | Plug & Play

VKC-1338A/PIR
1/3" Camera, Colour, 3.7mm, 550TVL, PIR Sensor,
12VDC

Art-Nr. 92586



Main Features

For wall mounting	Automatic white balance (AWB)
Resolution of 550 horizontal lines	Internal synchronization
Built-in pinhole lens F2.0/3.7mm	PIR sensor function
Automatic Gain Control (AGC)	Supply voltage: 12VDC
Automatic shutter control (ESC)	Easy installation

Specifications

System	colour
Video standard	PAL
Sensor size	1/3"
Imager	CCD, Sony Super HAD II Interline Transfer
Active picture elements	752 x 582 Pixel
Synchronization	internal
Signal-to-noise ratio	>48db (AGC OFF)
Gamma correction	0.45
Horizontal resolution	550 TVL
Sensitivity (at 50% video signal)	3,0 Lux, at F2.0 (1.1Lux at F1.2)
Automatic electronic shutter (ESC)	1/50 ~ 1/110,000sec.
Low speed shutter	no
Automatic gain control (AGC)	yes
Digital Noise Reduction (DNR)	no

VKC-1338A/PIR

(Continuation Specifications)

White balance	AWB
Backlight compensation	no
Wide Dynamic Range (WDR)	no
Aperture Correction (APC)	horizontal and vertical
IR cut filter	standard
Video outputs	composite (CVBS)
Lens type	fixed focal length
Focal length	3,7 mm
PTZ support	no
Digital zoom	no
Horizontal angle of view	68°
MOD (Minimum object distance)	0,2 m
Filter screw size	not available
Illumination	no
Activity detection	no
Serial interfaces	no
External connections	video (BNC), 12VDC input (DC plug)
Temperature range (operation)	-10°C ~+50°C
Housing material	plastic
Integrated wall mount	yes
Hidden cable management	no
Sunshield	no
Window heater	no
Colour (housing)	light grey
Vandalism resistant	no
Protection rating	n/a
Alarm inputs	-
Alarm outputs	-
Supply voltage	12VDC, (+/-10%)
Power consumption	2.5W
Dimensions (HxWxD)	see drawing
Weight	190g
Parts supplied	wall and ceiling mount bracket, bag of screws, manual
Certificates	CE

Optional accessories

70535	VT-PS12DC-8	Plug-in Power Supply Unit 100-240VAC 12VDC (1.0Amp), Regulated, with DC Plug
77773	VT-PS12DCDT1	PSU 12VDC/1.0A, Regulated, Desktop Version, 1.8m Cables each w. open ends

VKC-1338A/PIR

70495


VT-PS12DC-7

Plugable PSU w. Cont. & UK Mains plug-in 100-240VAC/12VDC-1.25A, Regulated

VKC-1338A/PIR

Home | Security | Cameras | Plug & Play

Technical drawing



Maße/Dimensions: mm

SLD Security & Communications
The Old Forge, Ockham Lane, Ockham, Surrey GU236PH England
Phone +44.1483225633 · Fax +44.1483225634
sales@sld.co.uk · www.sld.co.uk

